



LED BATONS

High power linear light perfect for wall grazing applications with elliptical optics and high power LEDs, which doubles up as a powerful flood without optics, beautifully designed in a low profile anodised aluminium housing.





AVAILABLE COLOURS



ANODISED ALUMINIUM

LEDION ULTRA OPTIC

CC LED BATON

Perfect for wall grazing and other applications where high power linear light is required, the optic Ledion Ultra strip provides a high power multi-source linear wash.

Housed in a robust anodised aluminium extrusion and available with an IP65 polycarbonate housing.


Product Code: LUS400/800/1200 -OP- [IP] - RGBW / RGBA

Compatible With : LUD 48 , LUD 192


TECHNICAL SPECIFICATIONS

Channels **4Ch**
 Wattage **19.2W (400), 38.4W (800), 57.6W (1200)**
 IP Rating **IP40**
 Input Current **350mA**
 LED Type **RGBW**
 LED Connection **RJ45**
 Lens Options **8°/25°/25° x 8°**
 Housing Options **Anodised Aluminium**
 Lumen Output **3,700lm/M [RGBW] / 2,890lm/M [RGBA]**
 Operating Temp Range **-20 to 50 °C**

DIMENSIONS



Available Lengths (400mm, 800mm, 1200mm)



OPTIONAL LENSES



Our lens options are:
8° : Narrow Beam Angle
25° : Medium Beam Angle
25° x 8° : Elliptical Beam Angle



LUS1200-OP

Colour Bowl

RGBW