# **LED WASH LIGHTS**

Illuminate the Skyline with our range of external grade wash lights, giving lighting professionals the tools to add colour to a wide range of applications.



35



37





**AVAILABLE COLOURS** 





WHITE GREY BLACK

# **SKYLINE 4**

### CC LED WASH LIGHT

Packing a powerful colour mix at source with the latest in multi-chip LED technology neatly packed into and thermally managed by an IP40 rated aluminium housing.


Making this fitting suitable for a wide variety of applications.


Compatible With: 350mA DMX Driver

#### **TECHNICAL SPECIFICATIONS**

Channels **4Ch** Wattage 19.2W Input Current 350mA Environment **Dry Use Only** LED Type **RGBW** Housing Options Grey / White / Black Lens Options 15°/25°/40° LED Connection **RJ45** Lumen Output 1120lm [RGBW] Operating Temp Range -20 to 50 °C

#### **DIMENSIONS**





?



# **SKYLINE 8**

### CC LED WASH LIGHT

Packing a powerful colour mix at source with the latest in multi-chip LED technology.


It is neatly packed into and thermally managed by an IP40 rated aluminium housing, making this fitting suitable for a wide variety of applications.


Compatible With: 350mA DMX Driver

#### **TECHNICAL SPECIFICATIONS**

Channels 4Ch
Wattage 38.4W
Input Current 350mA
Environment Dry Use Only
LED Type RGBW
Housing Options Grey / White / Black
Lens Options 15°/25°/40°
LED Connection RJ45
Lumen Output 2240lm [RGBW]
Operating Temp Range -20 to 50 °C

#### **DIMENSIONS**





?



# **SKYLINE 12**

### CC LED WASH LIGHT

Packing a powerful colour mix at source with the latest in multi-chip LED technology.


It is neatly packed into and thermally managed by an IP40rated aluminium housing, making this fitting suitable for a wide variety of applications.

Compatible With: 350mA DMX Driver

#### **TECHNICAL SPECIFICATIONS**

Channels 4Ch
Wattage 57.6W
Input Current 350mA
Environment Dry Use Only
LED Type RGBW
Housing Options Grey / White / Black
Lens Options 15°/25°/40°
LED Connection RJ45
Lumen Output 3360lm [RGBW]
Operating Temp Range -20 to 50 °C

#### **DIMENSIONS**



?



#### **AVAILABLE COLOURS**







44

WHITE GREY BLACK

# **SKYLINE ROUND 8**

### CC LED WASH LIGHT

- High powered White
- RGB color change modes
- Low energy consumption
- Multiple beam options
- Smooth dimming curve
- Silent convection cooling
- Aluminium extruded housing
- Wall & Ceiling mount orientation
- TV camera safe 430Hz
- 40W (MAX) color change mode
- Continuous duty cycle
- Includes 1.5 meter RJ45
- Made in the UK
- IECCC compliant


Compatible With: 350mA DMX Driver

#### **TECHNICAL SPECIFICATIONS**

Channels **4Ch** Wattage 40W Input Current 350mA Environment Indoor/Outdoor Forward Voltage 16VF Cycle Rate **430Hz** LED Type **RGBW** LED Connection **RJ45** Housing Options Grey / White / Black Lens Options 10°/15°/25°/40° LED Quantity 8 Lumen Output 1,136lm [RGBW] Operating Temp Range -20 to 50 °C

?

#### **DIMENSIONS**





## **SKYLINE ROUND 12**

### CC LED WASH LIGHT

• High powered White

WHITE GREY BLACK

- RGB color change modes
- Low energy consumption
- Multiple beam options
- Smooth dimming curve
- Silent convection cooling
- Aluminium extruded housing
- Wall & Ceiling mount orientation
- TV camera safe 430Hz
- 60W (MAX) color change mode
- Continuous duty cycle
- Includes 1.5 meter RJ45
- Made in the UK
- IECCC compliant

Compatible With: 350mA DMX Driver

#### **TECHNICAL SPECIFICATIONS**

Channels 4Ch
Wattage 60W
Input Current 350mA
Environment Indoor/Outdoor
Forward Voltage 16VF
Cycle Rate 430Hz
LED Type RGBW
LED Connection RJ45
Housing Options Grey / White / Black
Lens Options 10°/15°/25°/40°
LED Quantity 12
Lumen Output 1,136Im [RGBW]
Operating Temp Range -20 to 50 °C

?

#### **DIMENSIONS**

